Contents

Symposium Photograph vi

Preface vii

Opening Address viii

Contents ix

Chapter 1. Quantum dots

Electronic interactions between quantum dots
J.P. Kotthaus, W. Hansen and D.A. Wharam 1

Electronic excitations in quantum wires and dots
G. Abstreiter, R. Strenz, G. Schedelbeck and E. Silveira 6

Quantitative analysis of elastic strains in GaAs/AlAs quantum dots
A.A. Darhuber, V. Holy, G. Bauer, P.D. Wang, Y.P. Song, C.M.S. Torres and M.C. Holland 11

Multiple quantum-dot infrared phototransistors
V. Ryzhii, M. Ershov, I. Khmyrova, M. Ryzhii and T. Iizuka 17

Effects of disorder and electron–electron interactions on orbital magnetism in quantum dots
H. Tamura and M. Ueda 21

Chapter 2. Quantum wires

Temperature-dependent magnetotransport properties for systems of few quantum wires
G. Ploner, J. Smoliner, G. Strasser and E. Gornik 24

Tunnelling and transfer between 1D and 2D electrons in adjusted quantum wells with thin barrier
K.-J. Friedland, Y. Hirayama, T. Fujisawa, T. Saku and S. Tarucha 31

Mobility enhanced 1DEG electron transport in side gated quantum wire structures
C. Wirner, H. Momose and C. Hamaguchi 34

Magnetic field effects in p-type modulation-doped GaAs quantum wires
S. Nomura, H. Isshiki, Y. Aoyagi, T. Sugano 38

Quantum transport in a Schottky in-plane-gate controlled GaAs/AlGaAs quantum well wires
T. Hashizume, H. Okada and H. Hasegawa 42

Self-consistent results in quantum wires in magnetic fields: Temperature effects
T. Suzuki and T. Ando 46

Mesoscopic transport properties of in-plane gate defined quantum wires
D.P. Pivin, Jr. and D.K. Ferry 50

Conductance fluctuations in quantum wire systems: A comparison between different scattering models
A. Grincwajg, G. Edwards and D.K. Ferry 54

Scattering reduction due to electron wave interference by periodic doping of impurity ions in semiconductors
N. Kikegawa and K. Furuya 57

Effect of donor layer ordering on the formation of single mode quantum wires
M. Stopa and Y. Aoyagi 61

Analysis of valence-subband structures in a quantum wire with an arbitrary cross-section
M. Ogawa, M. Itoh and T. Miyoshi 65

Chapter 3. Quantum point contacts

Ballistic transport in the upper subband of a two-dimensional electron system
J.P. Lu and M. Shayegan 69

Spatial and energy distributions of single-carrier traps in GaAs/Al_xGa_{1-x}As heterostructures
T. Sakamoto, Y. Nakamura and K. Nakamura 74

Photoluminescence from point contact structures – Direct observation of electron flow
Y. Nagamune, T. Noda, H. Watabe, Y. Ohno, H. Sakaki and Y. Arakawa 77

Chapter 4. Single-electron transistors

Single-electron transistors with quantum dots
R.J. Haug, M. Dilger, T. Schmidt, R.H. Blick, K.v. Klitzing and K. Eberl 82

Single-electron transport in nanostructure systems
J.R. Barker, S. Babiker and S. Roy 87

Room temperature operated single electron transistor made by STM/AFM nano-oxidation process
K. Matsumoto 92

Characterization of precisely width-controlled Si quantum wires fabricated on SOI substrates
T. Hiramoto, H. Ishikuro, T. Fujii, T. Saraya, G. Hashiguchi and T. Ikoma 95

Microwave modulation of Coulomb-blockade oscillations in a quantum dot
K. Fujii, W. Gödel, D.A. Wharam, S. Manus, J.P. Kotthaus, G. Böhm, W. Klein, G. Tränkle and G. Weimann 98

Dependence of Coulomb blockade in ultrasmall single tunnel junctions on tunnel resistance
Y. Shimazu, S. Ikehata and S. Kobayashi 102

Co-tunneling current in very small Si single-electron transistors
Y. Takahashi, S. Horiguchi, A. Fujiwara and K. Murase 105

Observation of single electron effects using HEMT
T. Futatsugi, N. Horiguchi, M. Saito and N. Yokoyama 109

Design and fabrication of GaAs/AlGaAs single electron transistors based on in-plane Schottky gate control of 2DEG
H. Tomozawa, K. Jinushi, H. Okada, T. Hashizume and H. Hasegawa 112

Suppression of current noise due to the Coulomb correlation
F. Yamaguchi and K. Kawamura 116

Chapter 5. Quantum interferences and fluctuations

Coherence and phase sensitive measurements with a quantum dot
M. Heiblum, A. Yacoby and R. Schuster 119

Magnetotransport in modulated and magnetic fields
Y. Iye, A. Endo, S. Izawa, M. Kato and S. Katsumoto 122

AAS oscillations in antidot lattices
T. Nakanishi and T. Ando 127

Two-dimensional electrons in modulated magnetic fields
F.M. Peeters, A. Matulis and I.S. Ibrahim 131

Analysis of antidot lattices with periodic orbit theory
S. Uryu and T. Ando 138

Mechanism of commensurability oscillations in anisotropic antidot lattice
K. Tsukagoshi, S. Takaoka, K. Murase and K. Gamo 141

Classical and wave-mechanical aspects of magneto-transport fluctuations in ballistic quantum dots
G. Edwards, A. Grincwajg and D.K. Ferry 144

Transition from chaotic to regular quantum scattering in mesoscopic billiards with nominally regular geometry
J.P. Bird, D.K. Ferry, G. Edwards, D.M. Olatona, R. Newbury, R.P. Taylor, K. Ishibashi, Y. Aoyagi, T. Sugano and Y. Ochiai 148

Experimental evidence for boundary and impurity scattering related crossover in quasi-ballistic wires
Y. Ochiai, K. Yamamoto, K. Ishibashi, J.P. Bird, Y. Aoyagi, T. Sugano and D.K. Ferry 152

Chapter 6. Mesoscopic noise

Mesoscopic noise: Common sense view
R. Landauer 156

Measurement of reduced shot noise in a quantum point contact
A. Kumar, L. Saminadayar, D.C. Glattli, Y. Jin and B. Etienne 161

Chapter 7. Quantum Hall effect

Composite Fermions: Their scattering and their spin
H.L. Stormer, W. Kang, S. He, R.R. Du, A.S. Yeh, D.C. Tsui, L.N. Pfeiffer, K.W. Baldwin and K.W. West 164

Temperature dependence of the bend resistance of composite fermions in narrow cross junctions
J. Herfort, Y. Takagaki, K.-J. Friedland, R. Hey, K. Ploog, J. Takahara and K. Gamo 170

Quantum Hall effect from finite-frequency studies
L.W. Engel, Y.P. Li and D.C. Tsui 173

Observation of universal exponent in a high mobility two-dimensional electron system in the integer quantum Hall effect
S.W. Hwang, T. Sakamoto and K. Nakamura 180

Nonlocal nature of the breakdown of the integer quantum Hall effects
Y. Kawaguchi, S. Komiyama, T. Osada and Y. Shiraki 183

Imaging of edge channels in the integer quantum Hall regime by the lateral photoelectric effect
R.J.F. van Haren, W. de Lange, F.A.P. Blom and J.H. Wolter 186

Bulk conductivity at quantum Hall plateaux by magnetocapacitance measurement
K. Oto, S. Takaoka and K. Murase 189

Chapter 8. Tunnelling

Distribution of 'scarred' eigenfunctions in a quantum well with chaotic classical dynamics probed by resonant tunnelling
P.B. Wilkinson, T.M. Fromhold, L. Eaves, F.W. Sheard, N. Miura and T. Takamasu 192

Nonequilibrium random telegraph switching in quantum point contacts
J.C. Smith, C. Berven, S.M. Goodnick and M.N. Wybourne 197

Supply-function dependent sequential resonant tunneling in semiconductor multiple quantum well diodes
K. Hirakawa, Y. Shimada and T. Ikoma 202

Stark-ladder transition in a $(GaAs)_5/(AlAs)_2$ Zener tunneling diode
H. Nagasawa, K. Murayama, M. Morifuji, A. Di Carlo, P. Vogl, G. Böhm, G. Tränkle, G. Weimann and C. Hamaguchi 206

Undoped spacer layer effects on the evaluation of the coherent length in GaInAs/InP resonant tunneling diodes
Y.C. Kang, M. Suhara, K. Furuya, M. Gault and R. Takemura 210

Room-temperature observation of multiple negative differential resistance in a metal ($CoSi_2$)/insulator (CaF_2) quantum interference transistor structure
K. Mori, W. Saitoh, T. Suemasu, Y. Kohno, M. Watanabe and M. Asada 213

Theoretical base current in metal/insulator resonant tunneling transistors based on electron wave scattered by base port structure
Y. Kohno and M. Asada 216

Chapter 9. Superconductivity

Quantum effects in mesoscopic systems of metallic tunnel junctions
J.E. Mooij 220

Andreev reflection and quantum transport in an S–N–S junction
H. Takayanagi 224

Superconducting phase tuned sample-specific conductance fluctuations
S.G. den Hartog, C.M.A. Kapteyn, B.J. van Wees, T.M. Klapwijk, W. van Graaf and G. Borghs 229

Capacitance dependence of critical tunneling resistance for superconductor–insulator transition in two-dimensional network of Josephson junctions
R. Yagi, T. Yamaguchi, H. Kazawa and S. Kobayashi 232

Transport properties of superconducting SET transistor with a loop
A. Kanda, K. Ishibashi, Y. Aoyagi and T. Sugano 235

Effect of self-capacitance on charge Kosterlitz–Thouless transition in two-dimensional arrays of small tunnel junctions
A. Kanda and S. Kobayashi 238

Noise and adiabatic dynamics of superconducting quantum point contacts
D. Averin 241

Coulomb blockade and incoherent Cooper pair tunneling in ultrasmall Josephson double junctions with external circuits
S. Iwabuchi 245

Chapter 10. Tomonaga–Luttinger liquid

Temperature dependence of conductivity in multi-subband quantum wires
A. Kawabata 249

Quantized conductance in a mesoscopic Tomonaga–Luttinger liquid
M. Ogata 252

AC-conductance of one-dimensional, long-range correlated electrons
G. Cuniberti, M. Sassetti and B. Kramer 256

Chapter 11. Nanostructure fabrication

Single atom scale lithography for single electron devices
H. Ahmed 259

GaAs/AlGaAs device fabrication using MBE growth and in situ focused ion beam lithography
G.A.C. Jones, P.D. Rose, E.H. Linfield and D.A. Ritchie 264

Effects of growth interruption and FIB implantation in the UHV total vacuum process for the buried mesoscopic structures
F. Wakaya, T. Matsubara, H. Nakayama, J. Yanagisawa, Y. Yuba, S. Takaoka, K. Murase and K. Gamo 268

Fabrication of mesoscopic structures on n-GaAs surfaces by electrochemical scanning electron microscope
C. Kaneshiro and T. Okumura 271

Nanofabrication with a metal-covered scanning tunneling microscope tip
H. Andoh and M. Takai 276

AFM fabrication of metal-oxide devices with in situ control of electrical properties
E.S. Snow and P.M. Campbell 279

Possibility of hot electron detection with a scanning probe microscope
F. Vázquez, K. Furuya and D. Kobayashi 282

Advanced self-organized epitaxy for GaAs quantum wire arrays
M. Miyao, K. Hiruma, K. Haraguchi, T. Katsuyama and T. Nishino 287

Size-dependent luminescence of GaAs quantum wires on vicinal GaAs (1 1 0) surfaces with giant steps formed by MBE
H. Nakashima, M. Takeuchi, K. Inoue, T. Takeuchi, Y. Inoue, P. Fischer, J. Christen, M. Grundmann and D. Bimberg 291

Theoretical and experimental investigation of an electron interference device using multiatomic steps on vicinal GaAs surfaces
J. Motohisa, M. Akabori, S. Hara, J. Ishizaki, K. Ohkuri and T. Fukui 295

The role of atomic hydrogen for formation of quantum dots by self-organizing process in MBE
Y.J. Chun, S. Nakajima, Y. Okada and M. Kawabe 299

Site control of metal dot structures on fluoride surface by electron beam exposure
K. Tsutsui, K. Uejima and K. Kawasaki 303

A new fabrication method of ultra small tunnel junctions
Y. Ootuka, K. Ono, H. Shimada and S. Kobayashi 307

Chapter 12. Silicon-based materials

Electron transport in the quantum Hall regime in strained Si/SiGe
K. Ismail 310

AFM-based fabrication of Si nanostructures
P.M. Campbell, E.S. Snow and P.J. McMarr 315

The use of electron beam exposure and chemically enhanced vapor etching of SiO_2 for nanoscale fabrication
M.N. Kozicki, J. Allgair, A. Jenkins-Gray, D.K. Ferry and T.K. Whidden 318

Fabrication of atomically defined oxide films on Si by laser molecular beam epitaxy
H. Koinuma, T. Ohnishi, T. Maeda, M.B. Lee, M. Kawasaki and M. Yoshimoto 323

A novel fabrication method of Si mesoscopic structures on Al_2O_3 by selective epitaxial growth using electron beam irradiation
S. Yanagiya, H. Wado, M. Yoshimoto and M. Ishida 326

Guided modes in an arbitrarily oriented Si-quantum wire and their control
Y. Okawa, H. Tsuchiya and T. Miyoshi 330

Quantum transport calculations for silicon inversion layers in MOS structures
D. Vasileska, P. Bordone, T. Eldridge and D.K. Ferry 333

Validity of effective mass theory for energy levels in Si quantum wires
S. Horiguchi 336

Chapter 13. Frontier materials

Theory of tunneling conductance of CDW junctions
Y. Tanaka, M.I. Visscher, B. Rejaei and G.E.W. Bauer 339

Carbon nanotubes: effects of magnetic fields on lattice distortions
H. Ajiki and T. Ando 342

Optical properties of a quantum wire crystal, $C_5H_{10}NH_2PbI_3$
A. Nagami, K. Okamura and T. Ishihara 346

Study of cyclotron resonance in very high magnetic fields and nonparabolic energy band in InGaAs/InAlAs quantum wells
N. Kotera, Y. Shimamoto, T. Mishima and N. Miura 349

Magneto-photoluminescence spectra of excitons in GaP/AlP short period superlattices in high magnetic fields
K. Uchida, N. Miura and H. Kukimoto 352

Angular dependent cyclotron resonance in short period $(GaAs)_n/(AlAs)_n$ superlattices
K. Yamanaka, H. Momose, N. Mori, C. Hamaguchi, H. Arimoto, Y. Imanaka, Y. Shimamoto and N. Miura 356

Conductance fluctuations in PbTe wide parabolic quantum wells
J. Oswald, G. Heigl, G. Span, A. Homer, P. Ganitzer, D.K. Maude and J.C. Portal 360

High field transport properties of InAs/AlGaSb quantum wires
S. Sasa, T. Sugihara, K. Tada, S. Izumiya, Y. Yamamoto and M. Inoue 363

Chapter 14. Optical properties

Photon assisted transport through semiconductor quantum structures in intense terahertz electric fields
S.J. Allen, U. Bhattacharya, K. Campman, H. Drexler, A. Gossard, B.J. Keay, K. Maranowski, G. Medeiros-Ribeiro, M. Rodwell, J.S. Scott, C. Unterrainer, M. Wanke and S. Zeuner 367

Electron–phonon interaction and the so-called phonon bottleneck effect in semiconductor quantum dots
T. Inoshita and H. Sakaki 373

Magneto-optical properties of InAs monolayers and $In_yAl_{1-y}As$ self-assembled quantum dots in Ga(Al)As matrices
P.D. Wang, J.L. Merz, S. Fafard, R. Leon, D. Leonard, G. Medeiros-Ribeiro, M. Oestreich, P.M. Petroff, N.N. Ledentsov, P.S. Kop'ev, V.M. Ustinov, K. Uchida, N. Miura, H. Akiyama, H. Sakaki and C.M.S. Torres 378

Resonance of electronic states and indirect excitons in an asymmetric triple quantum well structure
N. Sawaki, T. Kidokoro, S. Ohsaki, T. Suzuki and K. Hara 384

Tunneling and interference of electronic states in double quantum well
M. Yamaguchi, K. Masukawa, N. Ikedo, N. Sawaki, K. Fujii and H. Goto 387

Exciton binding and delocalization in T-shaped quantum wires
G.W. Bryant, P.S. Julienne and Y.B. Band 390

Light emission of quantum-well-exciton polaritons in single quantum wells
S. Katayama and T. Tsuchiya 393

Physical properties of few electron mesoscopic rings: Persistent currents, optical absorption and Raman scattering
L. Wendler, V.M. Fomin, A.V. Chaplik and A.O. Govorov 397

Chapter 15. Laser and photonic crystals

Fabrication processes for low threshold InGaAs vertical-cavity surface-emitting lasers
T. Mukaihara, N. Hatori, N. Ohnoki, A. Mizutani, M. Abe, A. Matsutani, F. Koyama and K. Iga 400

Light emission from vertical-microcavity quantum dot laser structures
M. Nishioka, R. Schur, M. Kitamura, H. Watabe and Y. Arakawa 404

Quantum mechanical description of spontaneous emission in a microcavity in terms of admittance
I. Takahashi and K. Ujihara 407

Spatially ununiform gain in MQW lasers caused by nonequilibrium carrier transport
H. Tsuchiya, Y. Hayashi and T. Miyoshi 411

Nanofabrication of GaInAsP/InP 2-dimensional photonic crystals by a methane-based reactive ion beam etching
T. Baba, N. Kamizawa and M. Ikeda 415

Author Index 419

Subject Index 427